





# MMSI: 572612220 / INM-C: 457200066 - 457200067

# MAIN PARTICULARS

Flag	Mexico
Official No.	04014532327
Year Built	2018
Length Overall	85.00 M
Length BP	77.750 M
<b>Breath Moulded</b>	22.00 M
Depth Moulded	8.00 M
Draft Moulded	6.30 M
Deadweight	3100 t
Gross Tonnage	5419 t
Trial Speed	10 knots
Moon pool	8.00M x 8.00M
Heli- Deck	Capable of the reception of a Sikorsky S61
<b>Class Notation</b>	DNV +1A Fire Fighter(I) Offshore service vessel DPS(2)
	E0 HELDK SPS Strenghtened(DK)

# CARGO CAPACITIES

Clear Deck Area	344 M <sup>2</sup>
Deck Cargo	350T
Deck Loading	7.5 T/M <sup>2</sup>
Fuel Oil	1150 M <sup>3</sup>
Fresh Water	740 M <sup>3</sup>
Drill Water/Water Ballast	1750 M <sup>3</sup>
Mud/Brine	415 M <sup>3</sup>
Heeling	450 M <sup>3</sup>
Dry Bulk Cement	226 M <sup>3</sup>
(4 x 2000ft <sup>3</sup> )	





### SHIP PARTICULARS

### **PROPULSION / MACHINERY**

x 2206KW @800rpm, Niigata L28AHX
x Azimuth thruster
x 800KW, transverse type
awasaki. 12T thrust CCP
x 800 KW, diesel driven,
Caterpillar
x 1500KW, ABB
x 192kW, 415V/50Hz,
Cummins

### CARGO DELIVERY RATES

Fuel Oil	2 x 150M³/hr @ 75M head
Fresh Water	1 x 150M³/hr @ 75M head
Drill Water	1 x 150M³/hr @ 75M head
Mud	2 x 70M³/hr @ 85M head
Bilge	2 x 75M <sup>3</sup> /hr @ 60M head
GS/Fire	1 x 100M³/hr @ 75M head
Sludge	1 x 5M <sup>3</sup> /hr @ 29M head
Ballast	1 x 200M³/hr @100M head

### ACCOMMODATION

7 men	
22 men	
132 men	
15 men	
24 men	
104 men	
304 men	
35M <sup>3</sup> (aprox.)	
35 M <sup>3</sup> (aprox.)	
Offices • Mess Rooms • Gymnasium • Gallery	

# LIFE SAVING EQUIPMENT

Life Raft	32 x 25 men
Life Buoy-ring	12 sets
Lifejackets	370 sets
Fireman Outfit	6 sets
EEBD	8 sets
MOB-Light Smoke Signal	4 sets
First Aid Kit	1 set
Lifeboat c/w davit	2 x 75 men
Air Breathing Apparatus	6 sets

# SUPPLY & DRAINAGE PLANT

FW Hydrophone Plant & pump	2000L/ 2x10M <sup>3</sup> /hr @ 60M head
SW Hydrophone Plant & pump	2000L/ 2X10M <sup>3</sup> /hr @ 60M head
Sewage Holding & Treatment	For 304 persons
Freshwater Maker	2 x reverse osmosis type of 30t/day
Oily Bilge Water Separator	1 x 1.2M <sup>3</sup> /hr with oil content <15ppm
Hot Water Calorifier	2 x 80KW of 1000L c/w 2 circulating pumps



**COTEMAR** 

SHIP PARTICULARS

# **DECK / AHT EQUIPMENT**

Windlass	1 x electro hydraulic type of 16T @ 12M/min for 58mm dia. Chain
Capstan	2 x electro hydraulic type of 10T @ 15M/min
Anchor	2 x high-hold type, stowed in anchor- Pockets each of 3240kg
Tugger Winch	2 x electro-hydraulic type of 10T @ 15M/min
Cargo Rail	300 mm N.B. heavy pipes shall be Provided on main deck (P&S) Approx. 2500mm to top of pipes
Main Crane	1 x electro hydraulic driven crane of 100T @15M with AHC Function
Deck Crane	1 x marine crane of 3T SWL @14.0M
Gangway	1 x aluminium gangway about 6.0M

### NAVIGATION EQUIPMENT

X-band radar range 96NM	1 set
S-band radar range 96NM	1 set
Echo Sounder	1 set
GPS Plotter	1 set
Gyro Compass	3 sets
Magnetic Compass	1 set
Autopilot & Steering Gear	1 set
Weather Facsimile Receiver	1 set
Doppler Speed Log	1set
AIS	1 set
MF/HF Transceiver (GMDSS)	1 set
Satellite EPIRB (GMDSS)	1 unit
2-way Portable VHF radios	3 units
SART	2 sets
Navtex Receiver (GMDSS)	1 unit
Anemometer	3 units

# INTERNAL FIRE FIGHTING SYSTEM

CO2-Fire Extinguishing & Smoke Alarm System	Provided in engine room
Fixed Pressure Water Spraying and Mist Fire	Main Engine Room
Extinguishing	
Firemain	1 x Firemain, 12 x
	hydrants
Fire Blankets	2 off
Fire Axe	1 off

# EXTERNAL FIRE FIGHTING SYSTEM

# External FiFi-1 c/w water spraying systemFire Monitor2 x 2200 M³/hr @ 130MFire Pump2 x 2000 M³/hr @ 14 barSea Chests2 x independent typeFoam tank capacity20 M³Dispersant Capacity20 M³

### Address

Avenida Paseo de la Reforma #483 Piso 52 Colonia Cuauhtemoc Zip Code 06500 Ciudad de Mexico, Mexico

contact@cotemar.com.mx www.cotemar.com.mx

Find us on social media:

